



Corner Boards

Technical and Commercial Sheet



CANEMBAL

FABRICANTES Y DISTRIBUIDORES
DE PROTECCIÓN



Description

A corner piece is an angle made of solid board or plastic, which is placed and fixed on the corners to give consistency, protection and stability to the pallets.

Thanks to the materials we use for its manufacture, we can offer a corner piece with exceptional characteristics, especially in terms of its strength.



Advantages

Thanks to the materials we use in its manufacture, we are able to offer a corner protector with exceptional characteristics, especially in terms of strength.



Applications

Their main function is to reinforce, secure and protect the goods. They are usually a complementary element to films and strapping, as they offer greater rigidity and stability to the load.



Storage

Corner protectors must be protected from adverse conditions and stored indoors.



Recommendations

Corner protectors must be protected from adverse conditions and kept indoors.



Printing

One Ink. Free.
Two Inks. 5€/Km 3.
Full Colour. 5€/Km




Technical Sheet

Components

Material:
100% recyclable solid board.
Outer lining:
Brown recyclable cardboard. Papel crudo.

Interior contents:
Recycled pine reinforced card-board. 100% recyclable.

Gluing:
Water-based glue.



Tolerance

According to the European standard EN 13393

Length:
up to 500 mm. ± 5 mm
up to 2500 mm. ± 10 mm
> de 2500 mm. ± 15mm

Thickness:
from 1.5 a 2 mm. +0.4 / -0.3 mm 90°
> 2 mm. ± 0.4 mm

AyB	Wings: from 33 to 75 mm
C	Type of edge: round
GC	Thickness: from 2 to 8 mm
L	Length: to 7000mm

Angle ± 10°

Wing ± 5 mm



Kraft Corner Boards

It is used in low humidity environments and to provide colour uniformity on the pallet.




Matt white Corner Boards

This corner protector is recommended for low ambient temperatures.



Glossy White Corner Boards

This corner piece withstands humidity and direct contact with water.humedad.



Customized Corner Boards



Adapted to the needs of each customer by screen-printing logos, letters,



LAXNER Corner Boards

(Approved by LIDL)

They are manufactured in two formats depending on the type of pallet and its weight: LAXNER 45



Complementary Products



Strap



Palletising film



UNITS / PALLETS

Logistical data

		Thickness (mm)									
		2,00	2,00	2,50	2,75	3,00	3,25	3,50	4,00	4,50	5,00
Wings	33	6720	6300	5880	5460	5040	-	-	-	-	-
	35	6400	6000	5600	5200	4800	-	-	-	-	-
	38	-	5400	5040	4680	4320	3960	3780	3420	-	-
	40	-	5100	4760	4420	4080	3740	3570	3230	-	-
	43	-	5120	4480	4160	3840	3520	3360	3040	-	-
	45	-	4500	4200	3900	3600	3300	3150	2850	-	-
	48	-	-	4200	3900	3600	3300	3150	2850	2400	2160
	50	-	-	-	3640	3360	3080	2940	2660	2240	2016
	60	-	-	-	2860	2640	2420	2310	2090	1760	1584
	70	-	-	-	-	2400	2200	2000	1600	1200	800
75	-	-	-	-	2160	1980	1800	1800	1080	720	

