

Corner Boards

Technical and Commercial Sheet



CANEMBAL
FABRICANTES Y DISTRIBUIDORES
DE PROTECCIÓN



Description

A corner piece is an angle made of solid board or plastic, which is placed and fixed on the corners to give consistency, protection and stability to the pallets.

Thanks to the materials we use for its manufacture, we can offer a corner piece with exceptional characteristics, especially in terms of its strength.



Advantages

Thanks to the materials we use in its manufacture, we are able to offer a corner protector with exceptional characteristics, especially in terms of strength.



Applications

Their main function is to reinforce, secure and protect the goods. They are usually a complementary element to films and strapping, as they offer greater rigidity and stability to the load.



Storage

Corner protectors must be protected from adverse conditions and stored indoors.



Recommendations

Corner protectors must be protected from adverse conditions and kept indoors.



Printing

One Ink. Free.
Two Inks. 5€/Km 3.
Full Colour. 5€/Km




Technical Sheet

Components

Material:
100% recyclable solid board.
Outer lining:
White recyclable cardboard. Raw paper.

Interior contents:
Recycled pine reinforced card-board. 100% recyclable.

Gluing:
Water-based glue.



Tolerance

According to the European standard EN 13393

Length:
up to 500 mm. ± 5 mm
up to 2500 mm. ± 10 mm
> de 2500 mm. ± 15mm

Thickness:
from 1.5 a 2 mm. +0.4 / -0.3 mm 90°
> 2 mm. ± 0.4 mm

AyB Wings: from 33 to 75 mm
C Type of edge: round or peaked
GC Thickness: from 2 to 8 mm
L Length: to 7000mm

Angle ± 10°

Wing ± 5 mm



Kraft Corner Boards

It is used in low humidity environments and to provide colour uniformity on the pallet.



Matt white Corner Boards

This corner protector is recommended for low ambient temperatures.



Glossy White Corner Boards

This corner piece withstands humidity and direct contact with water.humedad.



Customized Corner Boards


Adapted to the needs of each customer by screen-printing logos, letters,




LAXNER Corner Boards

(Approved by LIDL)

They are manufactured in two formats depending on the type of pallet and its weight: LAXNER 45 and 50



Complementary Products



Strap



Palletising film



UNITS / PALLETS

Logistical data

		Thickness (mm)									
		2,00	2,25	2,50	2,75	3,00	3,25	3,50	4,00	4,50	5,00
Wings	33	7040	6600	5720	5280	4840	4400	4180	-	-	2600
	35	6720	6300	5460	5040	4620	4200	3990	-	-	3024
	38	6080	5700	4940	5040	4180	3800	3420	3040	-	-
	40	5760	5400	4680	4320	3960	3600	3240	2880	-	-
	43	-	5100	4420	4080	3740	3400	3230	2890	-	-
	45	-	4800	4160	3840	3520	3200	3040	2720	2400	-
	48	-	4500	3900	3600	3300	3000	2700	2400	2100	-
	50	-	4200	3640	3360	3080	2800	2520	2240	1960	1680
	60	-	-	-	3880	2640	2520	2280	1920	1680	1440
	70	-	-	-	-	2200	2000	1800	1600	1400	1000
	75	-	-	-	-	2160	1980	1800	1800	1080	720

